

# TOSHIBA

**e-STUDIO™ 3015AC**

**e-STUDIO™ 3515AC**

**e-STUDIO™ 5015AC**

- > Colour Multifunction Printer
- > Up to 50 PPM
- > Medium/Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready



**TOGETHER  
INFORMATION**

# CONNECT, INTEGRATE, SIMPLIFY, AND MORE.

## Technology for every workplace, delivering advanced functionality, ease of use and peace of mind.

Every business is unique. That's why Toshiba offers the latest customisable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information—efficiently and safely to maximise your productivity.

Toshiba's latest series delivers on our promise of Together Information - our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you to meet your green objectives.

- > 30, 35 & 50 PPM
- > High-resolution colour
- > High-volume black & white, and colour
- > Advanced e-BRIDGE Next technology
- > Fast dual-core processor



## Simple, smart and stylish.

A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customisable to meet your needs, enhancing the sleek and modern look of the complete series.

## Toshiba's latest e-BRIDGE Next controller delivers exceptional color quality.

Don't restrict yourself to black and white when you can print with eye-catching colour. It's Toshiba's sophisticated colour system with high resolution for top-notch image quality.

- > Up to 3,600 (Equivalence) dpi x 1,200 dpi (BW/with Smoothing) (PostScript 3)
- > 256 gradations for smooth transitions in photographs and illustrations
- > Auto-calibration and user calibration ensure consistency of colour across small and large print jobs

## Customisable user interface streamlines complicated multi-step processes into automated one-touch functions.

A fully-customisable user interface with an open platform enables departments to tailor settings and automate workflow including the integration of third-party solutions resulting in simple operation and improved efficiency. Let Toshiba place productivity and performance at your fingertips.

- > Customise and automate workflow specifically around your business processes
- > Boost productivity by reducing manual and paper intensive processes in the office
- > Personalise the user interface by department or individually to deliver the utmost efficiency
- > Cost savings and greater efficiency through improved workflow and productivity





# SMALL FOOTPRINT, BIG BUSINESS.

Even with a relatively small footprint, the e-STUDIO5015AC Series is packed with industry-leading technologies and innovations designed to help workgroups connect, integrate and simplify.

**Advanced e-BRIDGE Next Technology** enables the MFP to drive Toshiba's internally developed solutions or those from a third party with ease.

**Dual-Scan Document Feeder** holds an amazing 300 originals and boasts an impressive 240 images per minute (IPM) by scanning both sides of the page in a single pass.

**Auto Skew Correction** ensures your scanned documents, using one of the document feeder options are reproduced accurately.

**e-Suite** allows you to track and control copy, fax and scan jobs, and perform secure print release at Toshiba MFP.

**Multi-Station Print Enabler** allows you to retrieve your print job from a series of networked MFPs – now with support of up to 50 e-BRIDGE devices.

**Print Around** eliminates printing bottlenecks by allowing other print jobs to go around any being held-up for a specific paper size, media type or, even colour toner.

**Job Reservation** will queue up multiple copy or print jobs so users can send jobs whenever.

**Embedded Optical Character Recognition (OCR)** simplifies the creation of searchable PDFs or editable document formats such as Microsoft® Word™.

**Exclusive Water Proof Paper** water and tear resistant media up to 12" x 47" banner size.

**Saddle/Fold Capabilities** offer saddle-stitch finishing and the option to fold without stapling.

**12" x 18" Cassette** provides the ability to print stunning 11" x 17" full-bleed colour on 12" x 18" paper.

**Service Module Design** significantly reduces the cost and time spent servicing the MFP.

**Print-from USB** lets you print PDF and JPG files straight from your USB drive and the MFP will scale documents to fit the available paper size if necessary.

**Scan-to USB** is great for capturing a file quickly when you're on the go.

**Scan Preview** allows you to review your scanned documents digitally, even rotate and change pages prior to sending to file or email.

**Fax Preview** saves valuable resources by letting you view received faxes prior to printing them.





## TOSHIBA TECHNOLOGY NEVER LOOKED BETTER.

Keeping medium to large workgroups in mind, the e-STUDIO5015AC Series is easily integrated, customisable and solutions ready with Toshiba's Open Platform.

Complex tasks of the past are now a simple one touch button on your e-STUDIO control panel, thanks to Toshiba's seamless integration with third-party solutions and the use of embedded web browser technology.

Toshiba's exclusive e-BRIDGE Print & Capture application enables mobile device users to take advantage of the broad feature set of the e-STUDIO whether they're in the office or on the go.

Toshiba's V4 Driver with Toshiba Print Experience serves PCL users, a universal print driver and XPS support addresses Windows® environments while PS3 support provides connectivity for Macintosh® users and beyond.

The Universal Print Driver is suitable for all users. Tandem print comes standard with your e-STUDIO, along with a variety of time-saving, function-adding plug-ins that enable productivity right in the printer driver. For instance:

- > e-BRIDGE Job Point—quickly split up large jobs across up to 10 Toshiba MFPs
- > e-BRIDGE Job Replicator—streamline the creation of multi-part forms and documents
- > e-BRIDGE Job Separator—perform batch printing easily using any Windows® app
- > e-BRIDGE Job Build—conveniently print different document types all together as a single job

With Google Cloud Print™ support, you can securely print over the web from anywhere, anytime—including your phone—to an e-STUDIO5015AC Series MFP. e-BRIDGE Plus for Google Drive™, e-BRIDGE Plus for OneDrive®, e-BRIDGE Plus for DropBox®, and e-BRIDGE Plus for box™ address all of the popular cloud-based mobility apps.\*

Embedded Applications for Office365®\*\* lets users scan to and print from their Office365® directly at the front panel of the e-STUDIO MFP or their mobile device. This includes Word™, Excel® and PowerPoint® (docx, xlsx, pptx) documents stored in OneDrive® accounts or SharePoint® locations. When combined with our embedded OCR feature, documents can be scanned into these popular Office™ formats as well.\*

\*Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult Toshiba's sales person.

\*\*Available three applications; e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online

### Tight Security

Along with all of the new and innovative Toshiba technologies, we regard the security of your business a top priority.

- > A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- > IPsec is available to securely encrypt data sent to and from the MFP

### Environmental Protection

Innovation that is truly innovative makes certain that our environment is part of the equation, which is precisely what we do here at Toshiba.

- > ENERGY STAR® V2.0 certified
- > RoHS compliance, the use of recycled plastics, and Super Sleep (0.6W) Mode work to help the environment
- > EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- > The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost too
- > e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to promote more effective use



# FEATURES, BENEFITS, AND THE WOW FACTOR.

## 1 Document Feeder Options

- MR-4000-B Dual-Scan Document Feeder (DSDF)
- MR-3031-B Reversing Automatic Document Feeder (RADF)
- KA-5005PC Platen Cover

## 2 Accessory Tray & Options

- GR-1330 Accessory Tray
- GR-1340 10-Key Numeric Keypad

## 3 Finishing Options

- MJ-1042-B 50-Sheet Inner Finisher
- MJ-1109-B 50-Sheet Console Finisher
- MJ-1110-B 50-Sheet Saddle-Stitch Finisher
- MJ-5015 Job Separator

## 4 Additional Paper Options

- KD-1058-B Paper Feed Pedestal
- MY-1048-B Additional Drawer Module for PFP
- KD-1059A4-B 2,000-Sheet Large Capacity Feeder
- MY-1049-B Envelope Cassette



## Additional Option Highlights

- > e-Suite Print Management & Reporting Module
- > Multi-Station Print Enabler
- > Embedded OCR Enabler
- > Wireless LAN/Bluetooth
- > IPsec Security Enabler
- > Single & Dual-Line Facsimile
- > Card Reader

The Toshiba e-STUDIO5015AC Series can increase the efficiency of your workgroups, improve the professionalism of your presentations, and streamline the workflow of your organization. And, that's just for starters.

## Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex. A conventional RADF is available for less scan-intensive businesses.

## e-Suite

Toshiba e-Suite provides a user friendly embedded user interface for secure print release, copy, scan, fax and card registration to all individual users. The users are able to view their individual quota balance of black/white and colour prints so as to help them carry out their print activity more effectively.

Its powerful device management feature enables the administrator to discover Toshiba MFPs in the network and configuring/adding to managed device list at ease.

## Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler, now with support of up to 50 e-STUDIO devices, allows users to send print jobs from their desktop and retrieve them by simply swiping their card and authenticating at any convenient MFP.

## Advanced e-BRIDGE Next Technology

Built on Linux®, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, a dual-core processor, 4GB RAM and a 320GB SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.



# e-STUDIO™ 3015AC/3515AC/5015AC

## Main Specifications

<b>Copy System</b>	Indirect Electrostatic Photographic Method/OPC/LED Printing/ Heat Roller Fusing
<b>Display</b>	10.1" Colour WSVGA Touch Screen Tilting Display
<b>Copy Speed</b>	30/35/50 PPM (A4)
<b>First Copy Out</b>	Colour: 7.8/5.7 seconds Monochrome: 5.9/4.4 seconds
<b>Warm-Up Time</b>	Approx. 20 Seconds
<b>Copy Resolution</b>	600 x 600 dpi
<b>Stack Feed Bypass</b>	100 x 148 mm to 320 x 460 mm, 305 x 1200 mm Banner, Envelope
<b>Multiple Copying</b>	Up to 999 Copies
<b>Paper Capacity</b>	Standard 1,200 Sheets/Max. 3,200 Sheets
<b>Original Feed</b>	Optional 300-Sheet DSD/ or 100-Sheet RADF
<b>Scan Speed &amp; Weights</b>	DSD/ Scan: Up to 240 IPM Duplex, 120 IPM Simplex, Simplex: 35 - 209 gsm, Duplex: 35 - 209 gsm RADF Scan: Up to 73 IPM, Simplex: 35 - 157 gsm, Duplex: 50 - 157 gsm
<b>Max. Original Size</b>	A3
<b>Paper Feed Sizes</b>	Drawer 1: 550 Sheets-A5-R to A3 Drawer 2: 550 Sheets- A5-R to 320 x 460 mm Stack Feed Bypass: 100 Sheets- 100 x 148 mm to 320 x 460 mm, 305 x 1,200 mm Banner Opt. 550-Sheet Paper Feed Pedestal- A5-R to 320 x 460 mm Opt. 550-Sheet Drawer for PFP- A5-R to 320 x 460 mm Opt. Envelope Cassette for PFP-Approx. 60 Envelopes/550 Sheets-16K-R to A4-R Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-A4 Only
<b>Paper Weights</b>	Standard: 550 Sheets x 2- 60 - 256 gsm Stack Feed Bypass: 100 Sheets- 52 - 280 gsm Opt. 550-Sheet Paper Feed Pedestal- 60 - 256 gsm Opt. 550 Sheets Drawer for PFP- 60 - 256 gsm Opt. Envelope Cassette for PFP- 60 - 256 gsm Opt. 2,000-Sheet Tandem LCF (Pedestal Type)- 64 - 105 gsm Standard Automatic Duplex Unit (60 - 256 gsm)
<b>Duplex</b>	Standard Automatic Duplex Unit (60 - 256 gsm)
<b>Reproduction Ratio</b>	25% to 400%
<b>Max Duty Cycle</b>	Max. 90K/105K/105K Month (Colour: 100%) Max. 180K/210K/210K Month (Monochrome: 100%) Approx. 78.1 kg
<b>Weight</b>	Approx. 78.1 kg
<b>Approx. Dimensions</b>	585mm (W) x 641mm (D) x 787 mm (H)
<b>CMYK Toner Yield</b>	CMY: 33.6K, K: 38.4K @ 5%
<b>Power Source</b>	220-240 Volts, 50/60 Hz, 12 Amps
<b>Power Consumption</b>	Maximum 2.0kW (220-240V)
<b>CPU</b>	Intel Atom™ 1.33 GHz (Dual-Core)
<b>Memory</b>	4GB
<b>Hard Disk Drive</b>	320GB Self-Encrypting Drive

## e-BRIDGE Next Print Specifications

<b>PDL</b>	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
<b>Print Speed</b>	30/35/50 Pages Per Minute (A4)
<b>Print Resolution</b>	600 x 600 dpi (5 bit), 1,200 x 1,200 dpi (Colour/2 bit) 3,600(Equivalence) x 1,200 dpi(BW/with Smoothing) (PS3)
<b>Operating Systems</b>	Windows Server® 2008 R2, R2 SP1, 2008/SP2, Windows® 7,8,1,10, Windows Server® 2012/R2, Windows Server® 2016, Macintosh® (MacOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13), Unix®, Linux®
<b>Network Protocols</b>	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk for Macintosh Environments
<b>Interface</b>	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed) Optional IEEE802.11b/g/n, Optional Bluetooth
<b>Wireless Device</b>	AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play)
<b>Device Management</b>	TopAccess, e-Suite
<b>Account Control</b>	Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
<b>Security Features</b>	User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)* IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job

Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for firmware update, Integrity Check function, Image Log, Card Authentication, NFC Authentication  
\*Conformance with HCD-PPV1.0 in High security mode.  
ENERGY STAR® (V2.0), Blue Angel Mark (RAL-UZ-205, MFD), Nordic Swan, RoHS WHQL (Windows® 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell®, Citrix®, SAP, AirPrint® and Mopria®

## Environmental Stds. Certification

## Scan Specifications

<b>Scan Speed</b>	DSD/ Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour) RADF Scan: Up to 73 IPM (Monochrome or Colour)
<b>Scan Modes</b>	Standard: Full Colour, Auto Colour, Monochrome, Grayscale
<b>Scan Resolution</b>	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
<b>File Formats</b>	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Colour/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.)
<b>Image Compression</b>	Colour/Grayscale: JPEG (High, Middle, Low)

## Facsimile Specifications

<b>Compatibility</b>	Super G3
<b>Data Compression</b>	MH/MR/MMR/JBIG
<b>Transmission Speed</b>	Approx. 3 Seconds Per Page
<b>Fax Modem Speed</b>	Up to 33.6 Kbps
<b>Memory Transmission</b>	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job
<b>Scan Speed</b>	0.7 Seconds Per Page, Maximum 73 IPM

## e-Filing Specifications

<b>Operation Method</b>	Colour Touch Screen Control Panel or Client PC
<b>Number of Boxes</b>	1 Public Box, 200 Private User Boxes
<b>Capacity of Boxes</b>	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document

## Accessories (Options)

<b>Platen &amp; Document Feeder Options</b>			
DSD/	MR-4000-B	Panel 10-Key Option	GR-1340
RADF	MR-3031-B	Card Reader Holder	GR-1320
Platen Cover	KA-5005PC	USB Hub	GR-1310
		Meta Scan Enabler	GS-1010
		IPsec Enabler	GP-1080
		Unicode Font Enabler	GS-1007
<b>Additional Paper Options</b>		Embedded OCR Enabler	
Paper Feed Pedestal	KD-1058-B	Single License	GS-1080
Drawer Module	MY-1048-B	Five Licenses	GS-1085
Envelope Cassette Option	MY-1049-B	Multi-Station Print Enabler	
Large Capacity Feeder	KD-1059A4-B	Single License	GS-1090
		Five Licenses	GS-1095
<b>Finishing Options</b>		Data OverWrite Enabler	GP-1070
Inner Finisher	MJ-1042-B	Hardcopy Security Printing	GP-1190A
50-Sheet Staple Finisher	MJ-1109-B		
Saddle-Stitch Finisher	MJ-1110-B	<b>Miscellaneous Options</b>	
Hole Punch Unit for MJ1042	MJ-6011	Stand	MH-5005
Hole Punch Unit for MJ1109/MJ1110	MJ-6105	Accessible Arm	KK-2560
Bridge Kit	KN-5005	Work Tray	KK-5005
Job Separator	MJ-5015	Manual Pocket	KK-5008
		Harness Kit for Coin Controller	GQ-1280
<b>Connectivity/Security Options</b>			
FAX Unit/2nd Line for FAX Unit	GD-1370EU		
Wireless LAN/Bluetooth	GN-4020		
Hardcopy Security Printing	GP-1190A		
Accessory Tray	GR-1330		



## Toshiba TEC Singapore Pte Ltd

2 Ang Mo Kio Street 62  
Singapore 569138  
Tel : (65) 6481 9488  
Fax : (65) 6481 2385

## Distributed by



Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 g/m<sup>2</sup> if not otherwise mentioned.

Copyright ©2018 TOSHIBA TEC.

R180511V1400-TTEC

TSE Version 3.0